

BEARCAT TYRES – ACCESS TYRE PRICING JUNE 2022

Item Code	PRODUCT DESCRIPTION	LIST AUD\$
3899BA	385/65D19.5 (15-19.5) 16 PLY BEARCAT CRT201 TL	\$ 950
3901BA	445/65D19.5 (18-19.5) 16 PLY BEARCAT CRT201 TL	\$ 1,238
3900BA	385/65D22.5 (15-22.5) 16 PLY BEARCAT R4 TL	\$ 1,226
3902BA	445/65D22.5 (18-22.5) 18 PLY BEARCAT R4 TL	\$ 1,407
3906BA	355/55D625 (14-24.5) 14 PLY BEARCAT R4 TL	\$ 768
3891BA	445/50D710 (18-710) 18 PLY BEARCAT R4 TL	\$ 1,300
3904BA	315/55D20 12 PLY BEARCAT R4 TL	\$ 566
3885BA	240/55D17.5 12 PLY BEARCAT H01 TRACTION TL	\$ 393
3828BA	26x12-16.5 10 PLY BEARCAT R1 TL	\$ 335
3867BA	26x12D380 8 PLY BEARCAT R1 TL	\$ 332
5792BA	15.0/55-17 14 PLY BEARCAT ZR03 TRACTION TL	\$ 544
7880BA	405/70-20 14 PLY BEARCAT ZR03 TRACTION TL	\$ 864
3871BA	12-16.5 12 PLY BEARCAT LT-1 RIB FLOTATION TL	\$ 386
7640BA	12.5/80-18 14 PLY BEARCAT R4 TL	\$ 480
5795BA	500/50-22.5 16 PLY BEARCAT TRC03 FLOTATION TL	\$ 995
5791BA	500/50-17 14 PLY BEARCAT IMP05 RIB TL	\$ 708
5790BA	400/60-15.5 16 PLY BEARCAT IMP01 RIB TL	\$ 526
5793BA	400/60-22.5 16 PLY BEARCAT TRC03N FLOTATION TL	\$ 787
3871BAL	305x546 LSW (12-22.5) 10 PLY BEARCAT CRT201 TL	\$ 487
3871BALNM	305x546 LSW (12-22.5) 10 PLY BEARCAT CRT201 TL NON MARKING	\$ 642





BEARCAT TYRES – ACCESS TYRES SPECIFICATIONS

Tyre Size	Ply Rating	Part No.	Rim Size	Inflation Pressure	Section Width	Overall Diameter	Max Load
				(kpa)	(mm)	(mm)	(kg) 10km/h
9-14.5	14	RIB	14.5x7	790	241	711	1590
385/65D19.5 (15-19.5)	16	CRT201	19.5X11.75	550	389	1016	4935
445/65D19.5 (18-19.5)	16	CRT201	19.5X13	580	445	1016	6000
33X15.5-16.5	14	CRT201	16.5X12	550	400	850	3670
10.5/80-18	10	TRC05	9X18	370	273	905	1935
12.5/80-18	12	TRC05	11X18	370	308	985	2625
385/65D22.5 (15-22.5)	16	R4	22.5X11.75	690	390	1080	5590
445/65D22.5 (18-22.5)	18	R4	22.5X13	690	450	1160	7320
355/55D625 (14-24.5)	14	R4	24.5X11.75	520	350	940	3450
385/45-28	16	R4	28X13	750	380	1080	6000
385/50D625 (15-625)A	16	R4	24.5X13	690	386	1018	5600
445/45D625 (18-625)A	16	R4	24.5X13	690	430	1040	6900
385/50D625 (15-625)B	16	R4	24.5X13	690	386	970	5600
445/45D625 (18-625)B	16	R4	24.5X15	690	430	970	6900
445/50D710 (18-710)	18	R4	28X15	590	445	1189	7320
315/55D20	12	R4	20X11	550	318	855	2870
39X15-22.5A	16	R4	22.5X13	690	375	980	6525
39X15-22.5B	16	R4	22.5X13	690	360	850	6525
840X15.5-510	14	R4	20X14	620	392	860	3670
240/55D17.5	12	R4	17.5X6.75	690	220	720	2000
240/55D17.5	12	H01	17.5X6.75	690	220	720	2000
26X12-16.5	10	R1	16.5X9.75	400	300	670	1600
26X12D380	8	R1	15X10	380	300	670	1550

Items highlighted above are stocked items.

BEARCAT TYRES – ACCESS TYRES JUNE 2022

Tyre Size	Ply Rating	Part No.	Rim Size	Inflation Pressure	Section Width	Overall Diameter	Max Load
				(kpa)	(mm)	(mm)	(kg) 10km/h
305x546 LSW (12-22.5)	10	CRT201	9.75x22.5	450	305	840	2950
305x546 LSW (12 22.5) NM	10	CRT201	9.75x22.5	450	305	840	2950



Please call for more information.

SYDNEY: 02 9688 8888

ADELAIDE: 08 8262 8699

LAUNCESTON: 03 6391 8636

BRISBANE: 07 3374 6667

PERTH: 08 9353 5788

WEBSITE: www.bearcat.com.au

MELBOURNE: 03 9931 0237

TOWNSVILLE: 07 4774 8006

AUCKLAND NZ: 09 253 9097

